

NOTES:


1. 4-20 mA OUTPUT, 24VDC NOMINAL, (18-30 VDC MAX)
2. SEE ADDITIONAL PAGES FOR COMMUNICATIONS W/D IF ATTACHED

SHT  
1 OF 2

**A**

M10-M0

REV  
**C**





B	ECR 17920. UPDATED TITLE	GVM 3-8-13
C	ECR 18062. UPDATE PSB: SK1 CONNECTOR	GVM 11-4-14
REV	DESCRIPTION	DATE

<p><b>TOLERANCES</b> UNLESS OTHERWISE SPECIFIED .XX = ±.02    XXX = ±.005    ANGULAR ±1°</p>		
<p>SCALE: <b>NTS</b></p>		
<p>DRAWN: <b>GVM</b></p>	<p>PROD. DV.</p>	<p>PROD. ENG. <b>CHK</b></p>
<p>DATE: <b>2-8-13</b></p>	<p>DATE:</p>	<p>DATE: <b>2-8-13</b></p>

**rotork**<sup>®</sup>  
**Process Controls**  
MILWAUKEE, WISCONSIN, USA


<p>TITLE : <b>CMA WIRING DIAGRAM</b></p>		
<p>FOR : DC POWER OPERATION MODBUS SINGLE CHANNEL TERMINAL CONNECTIONS</p>		
<p>SHT 1 OF 2</p>	<p><b>A</b></p>	<p>M10-M0</p>

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.



B	ECR 17920. UPDATED TITLE	GVM 3-8-13
C	ECR 18062. UPDATE PSB: SK1 CONNECTOR	GVM 11-4-14
REV	DESCRIPTION	DATE

<b>TOLERANCES</b> UNLESS OTHERWISE SPECIFIED .XX = ±.02    XXX = ±.005    ANGULAR ±1°		
SCALE: <b>NTS</b>		
DRAWN: <b>GVM</b>	PROD. DV.	PROD. ENG. <b>CHK</b>
DATE: <b>2-8-13</b>	DATE:	DATE: <b>2-8-13</b>

  
**Process Controls**  
 MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

TITLE : <b>CMA WIRING DIAGRAM</b>		
FOR : DC POWER OPERATION MODBUS SINGLE CHANNEL TERMINAL CONNECTIONS		
SHT 2 OF 2	<b>A</b>	<b>M10-M0</b>