

NOTES:


- 4-20 mA OUTPUT, 24VDC NOMINAL, (18-30 VDC MAX)
- SEE ADDITIONAL PAGES FOR COMMUNICATIONS W/D IF ATTACHED

SHT
1 OF 2

A

M01-00

REV
B



INPUT VOLTAGE	SW1	SW2
110 VAC	A	C
115 VAC	A	D
208 VAC	B	C
230 VAC	B	D

B	ECR 18062. PSB: SK1 UPDATED, SK4 MOVED	GVM 11-4-14
A	INITIAL RELEASE	ECE 24SEP14
REV	DESCRIPTION	DATE


TOLERANCES UNLESS OTHERWISE SPECIFIED .XX = ±.02 XXX = ±.005 ANGULAR ±1°		
SCALE: NTS		
DRAWN: ECE	PROD. DV.	PROD. ENG.
DATE: 24SEP14	DATE:	DATE:

rotork[®]
Process Controls
MILWAUKEE, WISCONSIN, USA

TITLE : CMA WIRING DIAGRAM		
FOR : AC POWER OPERATION LOCAL CONTROLS		
SHT 1 OF 2	A	M01-00

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

HMI INTERFACE BOARD



SK12 INTERFACE ON
MAIN PCB BOARD

B	ECR 18062. PSB: SK1 UPDATED, SK4 MOVED	GVM 11-4-14
A	INITIAL RELEASE	ECE 24SEP14
REV	DESCRIPTION	DATE

<p>TOLERANCES UNLESS OTHERWISE SPECIFIED .XX = ±.02 XXX = ±.005 ANGULAR ±1°</p>		
<p>SCALE: NTS</p>		
DRAWN: ECE	PROD. DV.	PROD. ENG.
DATE: 24SEP14	DATE:	DATE:

rotork[®]
Process Controls
MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

<p>TITLE : CMA WIRING DIAGRAM</p>		
<p>FOR : AC POWER OPERATION LOCAL CONTROLS</p>		
SHT 2 OF 2	A	M01-00