

NOTES:


1. 4-20 mA OUTPUT, 24VDC NOMINAL, (18-30 VDC MAX)
2. SEE ADDITIONAL PAGES FOR COMMUNICATIONS W/D IF ATTACHED

SHT
1 OF 3

A

M01-P0

REV
A



INPUT VOLTAGE	SW1	SW2
110 VAC	A	C
115 VAC	A	D
208 VAC	B	C
230 VAC	B	D

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	GVM 1-12-15

TOLERANCES
UNLESS OTHERWISE SPECIFIED
.XX = ±.02 XXX = ±.005 ANGULAR ±1°

SCALE: **NTS**

DRAWN: GVM	PROD. DV.	PROD. ENG.
DATE: 1-12-15	DATE:	DATE:

rotork
Process Controls
MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

TITLE :
CMA WIRING DIAGRAM


FOR :
AC POWER OPERATION
LOCAL CONTROLS, PROFIBUS TERMINAL CONNECTIONS



SHT 1 OF 3	A	M01-P0
---------------	----------	---------------

HMI INTERFACE BOARD



SKI2 INTERFACE ON
MAIN PCB BOARD

A	INITIAL RELEASE	GVM	1-12-15		
REV	DESCRIPTION	DATE			
<p>TOLERANCES UNLESS OTHERWISE SPECIFIED .XX = ±.02 XXX = ±.005 ANGULAR ±1°</p>			 <p>MILWAUKEE, WISCONSIN, USA</p>		<p>TITLE : CMA WIRING DIAGRAM</p>
SCALE: NTS			<p>FOR : AC POWER OPERATION LOCAL CONTROLS, PROFIBUS TERMINAL CONNECTIONS</p>		
DRAWN: GVM	PROD. DV.	PROD. ENG.	<p>This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.</p>		
DATE: 1-12-15	DATE:	DATE:	SHT 2 OF 3	A	M01-P0



A	INITIAL RELEASE	GVM 1-12-15
REV	DESCRIPTION	DATE

TOLERANCES UNLESS OTHERWISE SPECIFIED .XX = ±.02 XXX = ±.005 ANGULAR ±1°		
SCALE: NTS		
DRAWN: GVM	PROD. DV.	PROD. ENG.
DATE: 1-12-15	DATE:	DATE:

rotork[®]
Process Controls
 MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

TITLE :
CMA WIRING DIAGRAM

FOR :
AC POWER OPERATION
LOCAL CONTROLS, PROFIBUS TERMINAL
CONNECTIONS