

NOTES:


1. 4-20 mA OUTPUT, 24VDC NOMINAL, (18-30 VDC MAX)
2. SEE ADDITIONAL PAGES FOR COMMUNICATIONS W/D IF ATTACHED

SHT
1 OF 3

A

M12-30

REV
A



| | | |
|-----|-----------------|-----------------|
| A | INITIAL RELEASE | GVM 12-29-17 |
| REV | DESCRIPTION | DATE |


| | | |
|--|-----------|------------|
| <p>TOLERANCES UNLESS OTHERWISE SPECIFIED .XX = ±.02 XXX = ±.005 ANGULAR ±1°</p> | | |
| <p>SCALE: NTS</p> | | |
| DRAWN: GVM | PROD. DV. | PROD. ENG. |
| DATE: 6/23/15 | DATE: | DATE: |

rotork[®]
Process Controls
MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

| | | |
|---|----------|---------------|
| <p>TITLE : CMA WIRING DIAGRAM</p> | | |
| <p>FOR : DC POWER OPERATION, LOCAL CONTROLS, FOLO/CPT (CURRENT POSITION TRANSMITTER) TERMINAL CONNECTIONS</p> | | |
| SHT 1 OF 3 | A | M12-30 |

HMI INTERFACE BOARD



SKI2 INTERFACE ON
MAIN PCB BOARD

| | | |
|-----|-----------------|-----------------|
| | | |
| A | INITIAL RELEASE | GVM 12-29-17 |
| REV | DESCRIPTION | DATE |

TOLERANCES
UNLESS OTHERWISE SPECIFIED
.XX = ±.02 XXX = ±.005 ANGULAR ±1°

SCALE: **NTS**

| | | |
|---------------|-----------|------------|
| DRAWN: GVM | PROD. DV. | PROD. ENG. |
|---------------|-----------|------------|



| | | |
|------------------|-------|-------|
| DATE: 6/23/15 | DATE: | DATE: |
|------------------|-------|-------|



This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

TITLE :
CMA WIRING DIAGRAM

FOR :
DC POWER OPERATION, LOCAL CONTROLS,
FOLO/CPT (CURRENT POSITION TRANSMITTER)
TERMINAL CONNECTIONS



| | | |
|-----|-----------------|-----------------|
| | | |
| A | INITIAL RELEASE | GVM 12-29-17 |
| REV | DESCRIPTION | DATE |

| | | |
|---|-----------|------------|
| TOLERANCES UNLESS OTHERWISE SPECIFIED .XX = ±.02 XXX = ±.005 ANGULAR ±1° | | |
| SCALE: NTS | | |
| DRAWN: GVM | PROD. DV. | PROD. ENG. |
| DATE: 6/23/15 | DATE: | DATE: |

rotork[®]
Process Controls
 MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

| | | |
|---|----------|---------------|
| TITLE : CMA WIRING DIAGRAM | | |
| FOR : DC POWER OPERATION, LOCAL CONTROLS, FOLO/CPT (CURRENT POSITION TRANSMITTER) TERMINAL CONNECTIONS | | |
| SHT 3 OF 3 | A | M12-30 |