

NOTES:


1. 4-20 mA OUTPUT, 24VDC NOMINAL, (18-30 VDC MAX)
2. SEE ADDITIONAL PAGES FOR COMMUNICATIONS W/D IF ATTACHED

SHT  
1 OF 3

**A**

M12-P0

REV  
**A**



A	INITIAL RELEASE	GVM 12-29-17
REV	DESCRIPTION	DATE


<p><b>TOLERANCES</b> UNLESS OTHERWISE SPECIFIED .XX = ±.02    XXX = ±.005    ANGULAR ±1°</p>		
<p>SCALE: <b>NTS</b></p>		
DRAWN: <b>GVM</b>	PROD. DV.	PROD. ENG.
DATE: <b>1-12-15</b>	DATE:	DATE:

**rotork**<sup>®</sup>  
**Process Controls**  
MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

<p>TITLE : <b>CMA WIRING DIAGRAM</b></p>		
<p>FOR : DC POWER OPERATION LOCAL CONTROLS, PROFIBUS TERMINAL CONNECTIONS</p>		
SHT 1 OF 3	<b>A</b>	<b>M12-P0</b>

# HMI INTERFACE BOARD



SK12 INTERFACE ON  
MAIN PCB BOARD



A	INITIAL RELEASE	GVM 12-29-17
REV	DESCRIPTION	DATE

<p><b>TOLERANCES</b> UNLESS OTHERWISE SPECIFIED .XX = ±.02    XXX = ±.005    ANGULAR ±1°</p>		
<p>SCALE: <b>NTS</b></p>		
DRAWN: GVM	PROD. DV.	PROD. ENG.
DATE: 1-12-15	DATE:	DATE:

**rotork**<sup>®</sup>  
**Process Controls**  
MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

<p>TITLE : <b>CMA WIRING DIAGRAM</b></p>		
<p>FOR : DC POWER OPERATION LOCAL CONTROLS, PROFIBUS TERMINAL CONNECTIONS</p>		
SHT 2 OF 3	<b>A</b>	<b>M12-P0</b>



<b>A</b>	INITIAL RELEASE	GVM 12-29-17
REV	DESCRIPTION	DATE

<b>TOLERANCES</b> UNLESS OTHERWISE SPECIFIED .XX = ±.02    XXX = ±.005    ANGULAR ±1°		
SCALE: <b>NTS</b>		
DRAWN: <b>GVM</b>	PROD. DV.	PROD. ENG.
DATE: <b>1-12-15</b>	DATE:	DATE:

**rotork**<sup>®</sup>  
**Process Controls**  
 MILWAUKEE, WISCONSIN, USA

This print is the property of Rotork Process Controls and is loaned in confidence subject to return. All rights to design or invention are reserved.

TITLE :  
**CMA WIRING DIAGRAM**

FOR :  
DC POWER OPERATION  
LOCAL CONTROLS, PROFIBUS TERMINAL  
CONNECTIONS